



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

**MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES**  
(Untabulated).

**AUSTRALIA—*Newcastle*.**—Month of September, 1911. Population 60,500. Total number of deaths from all causes 30, including diphtheria 1, tuberculosis 1.

**AUSTRIA-HUNGARY—*Brunn*.**—Month of July, 1911. Population 108,944. Total number of deaths from all causes 232, including diphtheria 2, scarlet fever 1, tuberculosis 48, typhoid fever 1.

Month of August, 1911. Total number of deaths from all causes 237, including diphtheria 2, tuberculosis 53, typhoid fever 3.

**CANADA—*Sherbrooke*.**—Month of October, 1911. Population 17,700. Total number of deaths from all causes 25, including diphtheria 1, scarlet fever 1, tuberculosis 4, typhoid fever 2.

***Vancouver*.**—Month of September, 1911. Population, 100,000. Total number of deaths from all causes 102, including diphtheria 1, tuberculosis 7, typhoid fever 5.

**FORMOSA.**—Three weeks ended October 14, 1911. Population 3,290,186. Total number of deaths from all causes not reported. The deaths include diphtheria 1, typhoid fever 22.

**FRANCE—*Calais*.**—Month of October, 1911. Population, 80,000. Total number of deaths from all causes 106, including diphtheria 1, tuberculosis 22, typhoid fever 1.

**GREAT BRITAIN.**—Week ended October 14, 1911:

***England and Wales*.**—The deaths registered in 77 great towns correspond to an annual rate of 15 per 1,000 of the population which is estimated at 16,157,797.

***Ireland*.**—The deaths registered in 21 principal town districts correspond to an annual rate of 19.3 per 1,000 of the population which is estimated at 1,149,495. The lowest rate was recorded at Tralee, viz, 5.3, and the highest at Wexford, viz, 36.4 per 1,000.

***Scotland*.**—The deaths registered in 8 principal towns correspond to an annual rate of 16.4 per 1,000 of the population which is estimated at 1,710,291. The lowest rate was recorded at Perth, viz, 10.2, and the highest at Glasgow, viz, 18.7 per 1,000. The total number of deaths from all causes was 538, including diphtheria 12, measles 5, scarlet fever 8, typhoid fever 1.

Week ended October 21, 1911:

***England and Wales*.**—The deaths registered in 77 great towns correspond to an annual rate of 14.4 per 1,000 of the population, which is estimated at 16,157,797.

***Ireland*.**—The deaths registered in 21 principal town districts correspond to an annual rate of 18.6 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Lisburn, viz, 4.3, and the highest at Kilkenny, viz, 44.6 per 1,000.

*Scotland*.—The deaths registered in 8 principal towns correspond to an annual rate of 15.7 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Perth, viz, 11.6, and the highest at Glasgow, viz, 17 per 1,000. The total number of deaths from all causes was 513, including diphtheria 5, measles 9, scarlet fever 7, typhoid fever 1.

*ITALY—Genoa*.—Month of October, 1911. Population, 272,077. Total number of deaths from all causes 396, including diphtheria 1, tuberculosis 78, typhoid fever 5.

*Messina*.—Period from October 8 to 20, 1911. Population, 93,652. Total number of deaths from all causes 51, including cholera 10, scarlet fever 1, tuberculosis 3, typhoid fever 1.

*ST. THOMAS*.—Three months ended September 30, 1911. Population, 11,012. Total number of deaths from all causes 391, including diphtheria 1, tuberculosis 5, typhoid fever 2.

*SIAM—Bangkok*.—Four weeks ended October 7, 1911. Population, 600,000. Total number of deaths from all causes not reported. The deaths include cholera 26, plague 1, smallpox 54.

*SIERRA LEONE—Freetown*.—Month of September, 1911. Population, 40,000. Total number of deaths from all causes 65. No contagious diseases.

*ROUMANIA*.—Month of March, 1911. Population, 7,000,000. Total number of deaths from all causes not reported. The deaths include diphtheria 80, scarlet fever 324, smallpox 434, tuberculosis 35.

Month of April, 1911. Total number of deaths from all causes not reported. The deaths include diphtheria 57, scarlet fever 703, smallpox 340, typhoid fever 55.

By authority of the Secretary of the Treasury:

A. H. GLENNAN,  
*Acting Surgeon General,*

*United States Public Health and Marine-Hospital Service.*